

PREMIUM LINEAR GAS FIREPLACES







A Transitional Interpretation of Fire

Fireplace Xtrordinair® has pushed the limits of fire once again, by creating our most transitional lineup of fireplaces yet. We've taken a traditional fireplace and extended the length to give it a sleek linear profile with tall, dancing flames that emerge from a bed of glowing, under-lit crushed glass. The result is our Premium High Output Linear Deluxe Gas Fireplace Series.

The Perfect Balance of Beauty and Function

The 4415, and 6015 models are high output heaters that represent the very best of home heating and style. These fireplaces feature variable heat outputs and can be personalized or finished to complement any home's décor, making them perfect for any living space, from cozy dens to great rooms.

Quality and Craftsmanship

Our fireplaces are proudly manufactured in America at the House of Fire in Mukilteo, Washington. We utilize the finest materials and subject them to vigorous testing standards to make fireplaces that stand up to the rigors of time. These fireplaces are the best money can buy.

Cover: 6015™ shown with the Black Painted Fireback, Driftwood Twigs and Stones, and Platinum Glass Media.

4415™ HO shown with the Black Painted Fireback, and Birch Log Set.

Features You're Going to Love

- High output home heaters that work during power outages
- Sleek linear burner with tall dancing flames that fill the firebox from edge to edge
- Adjustable under-lit accent lighting highlights the beautiful flames and glass media. This feature can also be used as mood lighting in the room when the fireplace is not burning.
- GreenSmart® Deluxe multi-function wireless thermostat remote control
- 180 CFM convection fan circulates heated air throughout the home.
- Transitional Fyre-Art™ and media options.
- Huge neo-ceramic glass viewing area with nearly invisible ClearFire™ safety screen.
- Heavy duty, welded 14-gauge steel fireplace body.

**BUILD YOUR
PERFECT FIRE**

*With our Design
My Fire Web App*



Or visit our website at
FIREPLACEX.COM



6015™ shown with, Black Glass Fireback,
and Platinum Glass Media.



4415™ shown with the 2" Trim Kit, Black Glass Fireback, Traditional Log set, and Black Glass Media



FIREBACKS (Required)

Select one of our decorative firebacks to enhance the interior of your fireplace.



Black Painted Fireback
Creates the illusion of a large, deep firebox.



High Gloss Black Glass Fireback
Creates a rich flame reflection.



Ledgestone Fireback
A naturally dramatic fireback with three-dimensional shadowing from the flames and light.



Fluted Black Fireback
A sleek metal fluted black fireback adds depth and modern sophistication.

FYRE-ART™ (Optional)

Although not required, these transitional Fyre-Art™ options allow you to personalize your fireplace with a little added style.



Cannon Balls



Tumbled Stones



Driftwood Twigs and Stones



Traditional Log Set




Birch Log Set



Driftwood Log Set

INTERIOR FLOOR MEDIA *(Required)*

Choose between sleek colored crushed glass or rock embers for the floor of your fireplace.



Platinum Glass

Bronze Glass

Cobalt Glass

Reflective Black Glass

Rock Embers


TRIMS & FACES

Finish your fireplace by selecting the trim or face style that best complements your decor.



Beveled Tile Trim Kit

A sleek, modern look with beveled edges that beautifully frames the fire.



2" Trim Kit

A simple decorative option that offers a clean, finished look.

Gallery Face Option

It features beveled sides that draw the eye in towards the fire, giving the fireplace a larger presence. It is black painted and accommodates tile or stone facing up to 1" deep.

Dimensions by model.

4415: 55" W x 19-5/8" H


6015: 71" W x 19-5/8" H



Safely Add A TV Above Your Linear Fireplace With The Optional CoolSmart TV Wall™ Kit



- A** Cool room air is naturally pulled into the bottom of the convection chamber surrounding the firebox.
- B** If the convection fan is turned on, the heated air is returned to the room above the fireviewing glass.
- C** The CoolSmart TV Wall™ Kit allows a TV to be safely installed above the fireplace, either flush or recessed up to 3-1/8" into the wall.



- D** If the fan is turned off, cool room air and the majority of the heated convection air are naturally drawn up through the CoolSmart Heat Vent(s) and returned to the room. This reduces the height the TV needs to be installed above the fireplace.



These Deluxe Gas Fireplaces feature the patented GreenSmart® System. This proprietary system is the most innovative collection of components, controls, and technology that when combined provides an elegant, greener, and smarter way to heat your home.

**GreenSmart® Deluxe Multi-Function
Wireless Thermostat Remote Control**



Remote Functions:

- Two Thermostat Modes
- Change Between IPI GreenSmart® and CPI Pilot Modes
- Flame Adjustment (6 levels)
- Convection Fan Operation (6 levels)
- Under-lit Accent Lights

SPECIFICATIONS

Model 4415

- Heating Capacity*: Up To 2,100 sq. ft.
- Variable Input: 21,672 to 42,000 BTUs/Hr (NG) / 21,413 to 42,000 BTUs/Hr (LP)
- Viewing Area: 42" W (1118 mm) x 13" H (330 mm)
- Steady State (High): ** Up to 77.08% NG / Up to 77.39% LP
- EnerGuide P4 Efficiency:**† 63.41% NG / 64.14% LP
- Weight: 255 lbs / 115 kg

Model 6015

- Heating Capacity*: Up To 2,800 sq. ft.
- Variable Input: 30,273 to 56,000 BTUs/Hr (NG) / 29,626 to 56,000 BTUs/Hr (LP)
- Viewing Area: 58" W (1473 mm) x 13" H (330 mm)
- Steady State (High):** Up to 77.34% NG / 78.74% LP
- EnerGuide P4 Efficiency:** † 63.26% NG / 65.27% LP
- Weight: 350 lbs / 156 kg

* Heating Capacity will vary with floor plan and ceiling height, insulation, and outside ambient temperature.

** Your results may vary depending on your vent configuration.

† P4 Efficiency determined using CSA P4.1-09.


Minimum Clearances To Combustibles

For Models 4415 and 6015

A = Clearance to Side of Fireplace 5/8" (16mm). Do not place insulation in this space.

B = Clearance to Back of Fireplace 1/8" (4mm).
Do not place insulation in this space.



C = When installed, walls in front of the fireplace must be a minimum 3" (77mm) to the side of the fireplace.



Minimum Framing Requirements

Framing illustrated below cannot be used with the CoolSmart TV Wall™ Kit.

See the CoolSmart TV Wall™ Kit Installation Instructions for correct framing dimensions with this option.



Model 4415

- A - 60" (1524mm)
- B - 60" (1524mm)
- C - 48-3/4" (1239mm)
- D - 17" (432mm)
- E - 22-1/2" (572mm)
- F - 58-1/4" (1480mm)
- G - 5/8" (16mm)

Model 6015

- A - 66" (1677mm)* / 72" (1829mm LP)**
- B - 66" (1677mm)* / (72" 1829 mmLP)**
- C - 64-3/4" (1645mm)
- D - 17" (432mm)
- E - 29" (737mm)
- F - 69" (1753mm)
- G - 5/8" (16mm)

*NG (all configurations) or LP with 36" Rise (or greater)

**LP with Minimum Vent (24" Rise)

NOTE: ALWAYS REFER TO THE PRODUCT OWNER'S MANUAL FOR COMPLETE INSTALLATION INSTRUCTIONS. FAILURE TO DO SO CAN RESULT IN VOIDING OF THE WARRANTY AND PRESENT A POTENTIAL SAFETY HAZARD! MANUAL CAN BE FOUND AT FIREPLACEX.COM

Optional Power Exhaust Vent Kit - Horiz Termination ONLY!

For difficult venting restrictions, we offer a Power Exhaust Vent Kit that allows you to install our gas fireplaces virtually anywhere in your home. This Power Exhaust Vent Kit accommodates vent runs up to 100 feet, or up to 50 feet either horizontal or vertical, with a maximum of 12 elbows! This fan option requires electricity to operate the fireplace.



7-YEAR "REAL WORLD" WARRANTY

Our 7-Year Warranty offers more protection on key components than the so-called "Limited Lifetime" warranties of our competitors. Fireplace Xtrordinair® builds fireplaces to last a lifetime.

We'll stand behind the quality and performance of our products year after year because that's the way we do business - and you don't have to read the fine print for your peace of mind. We even continue to sell service parts that date back 42 years.

YEARS 1-2:

All parts, electronics, and labor (Light bulbs, paint and gaskets are excluded).

YEARS 3-5:

All parts and labor on the firebox and glass frame (not including screen or glass). Electronics, electrical components, burner and accessories are excluded.

YEARS 6-7:

Parts only on the firebox.



FireplaceX.com
Manufactured by
Travis Industries, Inc
Mukilteo, WA

FireplaceX™ Gas Fireplaces are protected by one or more of the following patents; U.S. 8,469,021, 7,066,170, 6,602,068, 6,443,726, 6,953,037; Canada 2755517 as well as other U.S. and Foreign Patents pending. Photos and illustrations are for descriptive purposes only. We reserve the right to improve or change our products without prior notification. GreenSmart® and all other trademarks belong to Travis Industries, Inc. Consult the Installation Manual for complete installation requirements.

© Copyright T. I. 2026/01

Printed in the U. S. A.

98800726